

OCT. 21. 2005 1:50PM

NEEDLE & ROSENBERG

NO. 8715 P. 1/3

RECEIVED
CENTRAL FAX CENTER

NEEDLE & ROSENBERG

OCT 21 2005

IMPORTANT FAX DOCUMENT

NEEDLE & ROSENBERG PC
999 PEACHTREE STREET NE
SUITE 1000
ATLANTA, GEORGIA 30309-3958
678-420-9300
NEEDLERROSENBERG.COM

date **October 21, 2005**
name **Centralized Fax Department**
company **U.S. Patent & Trademark Office**
fax number **(571) 273-8300**

from **Charley F. Brown, Reg. No. 52,658**
our reference no. **21087.0025U2**
our fax number **(678) 420-9301**
number of pages **3 (Three)**
(INCLUDING COVER SHEET)

Application No. 10/780,916

BEST AVAILABLE COPY

confidentiality note

The information which follows and is transmitted herewith is attorney privileged, trade secret and confidential information intended only for viewing and use of the individual or entity named above. If the reader of this message is not the intended recipient, you are hereby notified that any review, use, communication, dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please immediately notify us by address.

RECEIVED
CENTRAL FAX CENTERATTORNEY DOCKET NO. 21087.0025U2
APPLICATION NO. 10/780,916
Page 1

OCT 21 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
)
Wang *et al.*) Art Unit: 7567
)
Application No. 10/780,916)
) Confirmation No. 2882
Filing Date: February 17, 2004)
)
For: "METHODS AND DEVICES FOR) Examiner: Keaney, Elizabeth Marie
CT RECONSTRUCTION USING A)
GRANGEAT APPROACH")

AMENDMENT UNDER 37 C.F.R. § 1.312 IN RESPONSE TO
NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

Mail Stop Issue Fee
Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

NEEDLE & ROSENBERG, P.C.
Customer Number 23859

Sir:

This is responsive to the September 28, 2005 Notice of Drawing Inconsistency with Specification (Notice) mailed in the above-identified patent application. The Office of Patent Publication (Office) states that an inconsistency exists between the drawings and the Brief Description of the Drawings in the Specification. Specifically, the Office states that the Drawings contain a Figure 24(c), but there is no corresponding description for Figure 24(c) in the Brief Description of the Drawings in the Specification.

Applicants acknowledge the discrepancy and submit herewith, an amendment under 37 C.F.R. § 1.312 to correct the discrepancy.

297469

BEST AVAILABLE COPY